





kanmantoo
BLUESTONE

A truly bespoke material.

*AMS Surfaces are proud to introduce
Kanmantoo Bluestone to our collection.*



**Hand selected.
Hand cut.
Every piece unique.**



A truly bespoke material.

How South Australian Bluestone is unique.

South Australian bluestone is quite different to other bluestone mined around Australia.

Whereas the bluestone quarried in Victoria is plain blue, the bluestone from South Australia — and Kanmantoo in particular — is multi-coloured and it's this which gives it its unique appeal. employees he has trained over the years, and to pass on his expertise.

Stunning hues.

The interior of the stone is usually pale blue-grey or beige, but you'll also find ochres, reds and browns, the occasional pinks and purples, and even green.

These various hues are caused by ferric oxide and other minerals which have been deposited in the joints and bedding planes of the bluestone over the approximately 300 million years it has taken to form.

Working the stone by hand.

It's the unique colouring of the Kanmantoo Bluestone that makes it such a specialised bluestone to quarry — which is where the expertise of our team is so important.

Pavers + Cobblestone.




Not one piece will ever be the same colour or texture as the next.

Our Paving and Cobblestone is truly a stunning, natural, durable and exquisite product that can be used in various applications from paths, courtyards, driveways, roads and open space parks and gardens.

We have a range of options in terms of size and shape these include:

- Random Pavers
- Flagstone Pavers
- Stepping Stones
- Cobblestone 50mm x 50mm
- Cobblestone 100mm x 100mm
- Cobblestone 147mm x 147mm
- Cobblestone 150mm x 150mm
- Cobblestone 160mm x 160mm
- Cobblestone 200mm x 200mm
- Cobblestone 300mm x 300mm
- Cobblestone 100mm x 200mm
- Cobblestone 100mm x 300mm
- Cobblestone 90mm x 600mm
- Cobblestone is available in either 30mm, 40mm or 50mm thick.

Walling.



Creative, imaginative and innovate rockface house blocks, an excellent alternative to brick.

Cut to brick courses in height with random lengths, enabling rapid construction. This environmentally friendly material will give you the advantage of quality with its classic look. Building blocks can be supplied with the smooth finish. Let nature take its course and use Kanmantoo Stone. We have a range of options in terms of size and shape these include:

Hand Dressed Stone – Available as a block or as a tile. Supplied as 75mm, 160mm and 245mm High, 90mm to 110mm deep and random lengths


Building Stone – Available in random lengths, 70mm – 120mm high and approx. 140mm deep.

Cut Dimension Stone – Supplied as a solid block. Supplied as 75mm, 160mm and 245mm high, 90mm to 110mm deep and random lengths.

Bookleaf – 250mm to 400mm in length approx. depth up to 300mm, 20mm

Delivery is available Australia wide, please contact us for more information.

Every piece
unique.




Bluestone Rocks.



We have a range of options in terms of size and shape these include:

- Garden Rocks (one person through to Bobcat Size)
- Memorial Stone
- Stone Steps
- Stone Seats
- Waterfall Rocks



**Hand
selected.**

Our services.

Australian Natural Stone Processing.

The brand new service; offering processed Australian stone, processed in Adelaide, stones include Australian granites and bluestones that can be cut into nominated slab thickness's providing a greater scope of specification that is, now, more readily and easily available for projects in Australia.

This service can be used on all projects requiring Australian natural stone and supply.

Adelaide Marble Specialists are a well recognised Australian stone benchtop producer. Adding to our strong capabilities, now an Australian Natural Stone Block Producer.

Kanmantoo Bluestone Technical Specs.



KANMANTOO BLUESTONE is one of Australia's unique bluestones. It has been used extensively across a numerous amount of large commercial projects.

Kanmantoo Bluestone is a product of nature and is subject to variation in colour and texture. Images are a guide only, we recommend ordering a sample or generally full size slabs are available to view on request.



TECHNICAL SPECIFICATIONS

DETAILS	
Name:	Kanmantoo Bluestone
Substitute Names:	
Colour & veining:	xxx
Quarry Location:	Kanmantoo, South Australia
Availability:	Excellent
TYPICAL PHYSICAL PROPERTIES	
Bulk Density :	2.97 tonnes/m ³
Compressive Strength (dry/wet):	217/193 MPa
Flexural Strength (dry/wet):	17.7/15.5MPa
Water Absorption by weight:	0.03%
Abrasion Resistance:	Taber index 26
Slip resistance:	Flamed finish: P5 slip rating Split finish: P5 slip rating
Slip test classification:	P5

PHYSICAL CHARACTERISTICS	
Texture:	Fine grained black
Inclusions:	None
Degree of polish:	High
Variation of Tonality:	Consistent background with occasional whitish flairs
Characteristics:	Fine grained
Finishes available:	Sawn and flamed finish
Forms Available:	Blocks, Slabs, Pavers, Cobblestone, steps
PETROGRAPHIC ANALYSIS	
Plagioclase:	67%
Clinopyroxene (Augite)	15%
Orthopyroxene:	10%
K Feldspar:	5%
Biotite:	1%
Ilmenite	1%
Other minerals:	1%



Discover more at amssurfaces.com.au | Follow us  

SOUTH AUSTRALIA . NORTHERN TERRITORY . VICTORIA