

The logo for Rubio MONOCOAT, with 'Rubio' in a white script font and 'MONOCOAT' in a white sans-serif font on a dark brown rectangular background.

Rubio[®]
MONOCOAT

Our timber flooring
coating is repairable

NOW COATED LOCALLY

The logo for trendwood FLOORING, with 'trend' in a grey sans-serif font, 'wood' in a gold-to-brown gradient sans-serif font, and 'FLOORING' in a grey sans-serif font below it.

trendwood
FLOORING

sophisticated. enduring. exceptional value.

trendwood FLOORING

Russian Birch (Betula Pendula/Pubescens). Also known as Baltic Birch is grown in cold environment of Russia possesses excellent strength properties which makes Russian Birch Plywood far superior than any other plywood. **Trendwood Flooring's** base is uniquely

manufactured with multiple ply's of Russian Birch veneer used uniformly throughout the panel. Each layer of birch veneer is peeled at 1.5mm thickness giving the panel a multi-ply edge that offers unmatched stability when subjected to varying temperature and humidity.



White 5%

Off white was chosen to add contrast and texture while keeping the kitchen space light and contemporary.

Coating: 100% VOC FREE Oil
Board Size: 180mm wide,
micro bevelled



wide boards can now be used with no gaps and cracks appearing, thanks to superior trendwood engineered flooring.

the trendwood flooring advantage

- Suitable for use over under floor heating ✓
- Plywood consists of a minimum, 11 layers of Russian Birch ✓
- No acclimatisation required prior to installation ✓
- High quality Certified American Oak or European Oak ✓
- Wide range of colours, widths and surface finishes ✓
- No harmful fumes or toxins: VOC free ✓
- Only produced from sustainable timber sources ✓
- Superior strength and durability ✓
- Easy to repair and maintain ✓



Dark Oak

This boutique required character whilst maintaining a clean overall look.

Coating: 100% VOC FREE Oil
Board Size: 180mm wide,
micro bevelled


combining leading edge technology,
colour and design innovation.

Dark Oak
Coating: 100% VOC FREE Oil
Board Size: 220mm wide, micro bevelled





specs



Dark Oak

Contemporary and sophisticated, **Trendwood Flooring** provides this stunning dining room with a practical and stylish living space.

Coating: 100% VOC FREE Oil
Board Size: 220mm wide,
micro bevelled

Standard finishes: smooth, hand scraped, whitewashed, distressed, swan, brushed, hand bevelled, micro bevelled.

Width: 180/220/256/300mm

Length: 1700-2400mm

Thickness: 12mm / 15mm / 20mm

Veneer thickness: 1.5mm / 3mm / 5mm

Plywood thickness: 10mm / 12mm / 15mm

Plywood type: WBP Russian Birch

Veneer types: American or European Oak

Coating: 100% VOC Free Oil

Average density: 730kg/m³

Moisture content: 7% to 12 %

Acoustic properties: STC of 28db

Trendwood Flooring is made from natural timber and therefore some variation in colour may occur. We always recommend making final colour selection from an actual sample in store as the colours in this brochure are only as close as modern printing methods allow. Line drawings are not to scale and are for illustration purposes only.

collection series

Width: 180mm | Length: 1700, 2400mm

Finished thickness: 15mm

Finishes: Smooth, micro bevel



parquet range

Chevron + Herringbone



Chevron - Dusk Brushed

Coating: 100% VOC FREE Oil
Board Size: 140mm wide

sophisticated + enduring



Chevron - Dusk Brushed

This classic design and colour will add character and warmth to any home.

Coating: 100% VOC FREE Oil
Board Size: 140mm wide

stair treads

classic design + superior strength



specs

Standard Size: 300mm wide x 30mm thick x 2200mm long.

Also available in: 2400mm and 3000mm lengths.

Available with: 3mm arras, 3mm pencil round, or half bullnose edge.

Complies with: AS4586-2013
Sip resistance - P3

Dusk Brushed

Coating: 100% VOC FREE Oil
Board Size: 300mm wide



Dusk Brushed

Coating: 100% VOC FREE Oil
Board Size: 300mm wide

Chevron, Dusk Brushed
Coating: 100% VOC FREE Oil
Board Size: 140mm wide



technical information

Features

- May be laid in any direction
- Will cover holes up to 75mm x 50mm only if there is no join over the hole
- Unsupported edge spans of 20mm are satisfactory
- With proper use & maintenance, Trendwood will give you many years of life
- Not recommended for wet areas
- May be fixed to any surface that can be glued to and is not exposed to the weather

Width and thickness: Trendwood Flooring gives you more options.

	180mm	220mm	256mm	300mm
20mm Trendwood Flooring	✓	✓	✓	✓
15mm Trendwood Flooring	✓	✓	✓	N/A
12mm Trendwood Flooring	✓	✓	N/A	N/A

Easy care: Range of easy care products to keep your floor looking beautiful.

	Single coat soap	Soap satin	Single coat surface care	High traffic protection
20mm Trendwood Flooring	✓	✓	✓	✓
15mm Trendwood Flooring	✓	✓	✓	✓
12mm Trendwood Flooring	✓	✓	✓	✓

Care and maintenance: Refer to the Trendwood care and maintenance guidelines information sheet.

trendwood flooring coated with rubio monocoat

Wood is a natural and noble resource that deserves superior protection.

Therefore, we are committed to continual research and development with the expressed purpose of providing the best product available with full regard to the environment.

Rubio Monocoat oil has unrivalled characteristics. The natural ingredients on which the oil is based generate a molecular reaction with the uppermost cellulose fibres of the wood. This high technology ensures that our oils are eco-friendly, are easy to apply and of superior quality.

The extensive assortment contains oils for indoor as well as outdoor wood and are used for both on-site and industrial purposes. Rubio Monocoat is also known for its wide range of colours.

High technology in a green can: that's Rubio Monocoat.

- Colours and protects in one layer
- 40 fantastic colours
- Respects the natural 'look and feel' of the wood
- Environmentally friendly: 0% VOC!
- Doesn't contain water
- Easy to maintain
- Low consumption: 1 litre reaches for 30 to 50 m²
- Applies to all kinds of wood
- Very high resistance
- Water resistant
- Heat resistant

advanced technology - protects and colours your wood in one single layer.





For more information or to view the collection, please contact or visit your closest AMS Surfaces showroom.

South Australia

AMS Surfaces Mile End Showroom

333 South Road, Mile End, SA 5031

Telephone: +61 8 8352 1265

Architectural Showroom

100a Flinders Street, Adelaide, SA 5000

Telephone: +61 8 8232 7633

(By appointment only)

AMS Surfaces Port Lincoln Showroom

72 Mortlock Tce, Port Lincoln, SA 5606

Telephone: +61 8 8683 3288

AMS Surfaces + Adelaide Marble Head Office

122 South Terrace, Wingfield, SA 5013

Telephone: +61 8 8345 1842

enquiries@adelaidemarble.com.au

amssurfaces.com.au



'Ignite your imagination'



DISCLAIMER

Shade variations can occur from batch to batch. Colours shown are indicative only please use as a guide, they should not be used for final selection. See your retailer for colours available and products ordered should be chosen from physical samples in store current at the time of order and are subject to availability. Line drawings are not to scale and are for illustration purposes only. All information correct at time of printing, **September 2015**.